EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5870770").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:35
L2	138	brows$3 with ((concurrent$3 or simultaneous$3) with (content$1 or page$1 or document$2) with (relat$3 or link$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:37
L3	25	2 and (proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:37
L4	2	3 and @ad<"19990611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:38
L5	23	2 and @ad<"19990611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:38
S1	2	("6952578").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 08:54
S2	2	("20010032254").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:05
S3	595	(receiv$3 or retriev$3 or fetch$3) with (document$1 or content$1 or page$1) with (relat$3 or link$3) with (simultaneous$2 or concurrent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:07

EAST Search History

S4	0	(receiv$3 or retriev$3 or fetch$3) near (document$1 or content$1 or page$1) near (relat$3 or link$3) near (simultaneous$2 or concurrent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:08
S5	4	(receiv$3 or retriev$3 or fetch$3) with (document$1 or content$1 or page$1) near (relat$3 or link$3) near (simultaneous$2 or concurrent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:13
S6	170	S3 and @ad<"19990611"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:37
S7	8	S6 and ((concurrent$3 or simultaneous$2) with fetch$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:15
S8	52	S6 and ((concurrent$3 or simultaneous$2) with retriev$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:43
S9	50	S6 and ((concurrent$3 or simultaneous$2) with retriev$3 with (content$1 or page$2 or document$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:16
S10	50	S6 and ((concurrent$3 or simultaneous$2) with retriev$3 with (content$1 or page$2 or document$1) with (link$3 or relat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:16
S11	5	S6 and ((concurrent$3 or simultaneous$2) with retriev$3 with (content$1 or page$2 or document$1) near (link$3 or relat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:25

EAST Search History

S12	2	("5987446").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:25
S13	45	S6 and ((simultaneous$2) with retriev$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 13:32
S14	8	S6 and ((simultaneous$2) near retriev$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:44

C:\Documents and Settings\cnguyen14\My Documents\EAST\Workspaces\fetch contents.wsp

Google

retrieve simultaneously relate contents | Search | Advanced Search
                                                       Preferences

Web   Books   Results **1** - **10** of about **1,980,000** for <u>retrieve</u> <u>simultaneously</u> <u>relate</u> <u>contents</u>. **(0.28** seconds)

Advances in Space Research : PFS: an effective instrument for the ...
On the basis of a single observation, it is not possible to **retrieve simultaneously** dust
optical properties, surface spectral characteristics and, ...
linkinghub.elsevier.com/**retrieve**/pii/S0273117704006635 - Similar pages

Polymer Degradation and Stability : **Simultaneous** determination of ...
Simultaneous determination of the **content** and activity of sterically hindered ... of
determining the state of the stabilizer type **related** to polymers. ...
linkinghub.elsevier.com/**retrieve**/pii/S0141391004000928 - Similar pages
More results from linkinghub.elsevier.com »

Atomic Memory for Correlated Photon States -- van der Wal et al ...
More Information on **Related Content** .... In the **retrieve** step (blue), this coherence is
mapped back into an anti-Stokes field (AS) via a second Raman ...
www.sciencemag.org/cgi/content/full/sci;301/5630/196 - Similar pages

add applied to 2 related models simultaneously
Subject: add applied to 2 **related** models **simultaneously**; From: "Bryan Zarnett"
<email@hidden>; Date: Fri, 24 Feb 2006 15:20:47 -0500; Delivered-to: email@ ...
lists.apple.com/archives/cocoa-dev/2006/Feb/msg01499.html - 24k -
Cached - Similar pages

Autonomy for Manufacturing
Autonomy allows **content** to be searched **simultaneously** in any language and ...
integration of all data and product-**related content** from these systems so it ...
www.autonomy.com/content/Verticals/manufacturing/index.en.html - 113k -
Cached - Similar pages

Disk arrays trickle down to SMBs
In fact, RAID 6, also known as dual-parity RAID, can guard a RAID group against two
simultaneous disk failures. The problem with RAID is that not all disks ...
searchstorage.techtarget.com/generic/0,295582,sid5_gci1284367,00.html - 60k -
Cached - Similar pages

Visualizing Keyword Distribution Across Multidisciplinary C-Space
A title-keyword search on "urban" will **retrieve** only half of the titles, ... visual metaphors
would help users **relate content** containers (books, journals, ...
www.dlib.org/dlib/june03/beagle/06beagle.html - 36k - Cached - Similar pages

PARC **Content**-Centric Networking: Media Backgrounder [html]
How does this difference **relate** to underlying network architecture? ... the network can
retrieve the **content** through her neighbor's cell phone instead of ...
www.parc.com/research/projects/networking/contentcentric/mediabackgrounder.html - 36k -
Cached - Similar pages

[PDF] Changing Vocabularies: A Guide to Help Bioethics Searchers Find ...
File Format: PDF/Adobe Acrobat - View as HTML
"quick guide" list of steps for finding bioethics-**related** citations in ..... In addition, MeSH
Headings do not "explode" to **retrieve simultaneously** the ...

bioethics.georgetown.edu/publications/changingvocab.pdf - Similar pages

Handbook of Clinical Child Neuropsychology - Google Books Result
by Cecil R. Reynolds, Elaine Fletcher-Janzen - 1997 - Psychology - 746 pages
Hence, the K-ABC seeks to address sequential versus **simultaneous** processing using ...
abilities with the conception of academically **related content**. ...
books.google.com/books?isbn=030645257X...

1 2 3 4 5 6 7 8 9 10   **Next**

---

retrieve simultaneously relate conter | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

---

©2008 Google - Google Home - Advertising Programs - Business Solutions - About Google

P❂RTAL
USPTO

Search: ◉ The ACM Digital Library   ○ The Guide

fetching concurrently link contents

SEARCH

THE ACM DIGITAL LIBRARY

🔖 Feedback

fetching concurrently link contents
Terms used: **fetching** **concurrently** **link** **contents**

Found **48** of **238,048**

Sort results by | relevance ▼
Display results | expanded form ▼

💊 Save results to a Binder

☐ Open results in a new window

Refine these results with Advanced Search
Try this search in The ACM Guide

Results 41 - 48 of 48   Result page: << previous 1 2 **3**

41 **Cache-conscious frequent pattern mining on modern and emerging processors**
Amol Ghoting, Gregory Buehrer, Srinivasan Parthasarathy, Daehyun Kim, Anthony Nguyen, Yen-Kuang Chen, Pradeep Dubey
January 2007 **The VLDB Journal — The International Journal on Very Large Data Bases**,   Volume 16 Issue 1
Publisher: Springer-Verlag New York, Inc.

Full text available: 📄 pdf(386.94 KB) Additional Information: full citation, abstract, index terms

> Algorithms are typically designed to exploit the current state of the art in processor technology. However, as processor technology evolves, said algorithms are often unable to derive the maximum achievable performance on these modern architectures. ...
>
> **Keywords:** Architecture-conscious algorithms, Association rule mining, Cache-conscious data mining, Frequent itemset mining, Frequent pattern mining

42 **A balanced code placement framework**
Reinhard von Hanxleden, Ken Kennedy
September 2000 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,   Volume 22 Issue 5
Publisher: ACM

Full text available: 📄 pdf(524.13 KB) Additional Information: full citation, abstract, references, cited by, index terms

> Give-N-Take is a code placement framework which uses a generic producer-consumer mechanism. An instance of this could be a communication step between a processor that computes (produces) some data, and other processors that subsequently reference (consume) ...
>
> **Keywords:** Fortran D, Tarjan intervals, data-flow analysis, high performance Fortran, latency hiding, partial redundancy elimination

43 Application isolation in the Java Virtual Machine

Grzegorz Czajkowski
October 2000 **OOPSLA '00: ACM SIGPLAN Notices**,   Volume 35 Issue 10
Publisher: ACM

Additional Information: <u>full citation</u>, <u>abstract</u>,
Full text available: <u>pdf(217.49 KB)</u>   <u>references</u>, <u>cited by</u>, <u>index</u>
<u>terms</u>

To date, systems offering multitasking for the Java™ programming
language either use one process or one class loader for each application.
Both approaches are unsatisfactory. Using operating system processes is
expensive, scales poorly and ...

Keywords: Java Virtual Machine, application isolation, multitasking

44 Transaction support for indexed summary views

Goetz Graefe, Michael Zwilling
June 2004 **SIGMOD '04:** Proceedings of the 2004 ACM SIGMOD
            international conference on Management of data
Publisher: ACM

Full text available: <u>pdf(168.70 KB)</u> Additional Information: <u>full citation</u>, <u>abstract</u>,
<u>references</u>

Materialized views have become a standard technique for performance
improvement in decision support databases and for a variety of
monitoring purposes. In order to avoid inconsistencies and thus
unpredictable query results, materialized views and their ...

45 Shape-based retrieval and analysis of 3D models

Thomas Funkhouser, Michael Kazhdan
August 2004 **SIGGRAPH '04:** ACM SIGGRAPH 2004 Course Notes
Publisher: ACM

Full text available: <u>pdf(12.56 MB)</u> Additional Information: <u>full citation</u>, <u>abstract</u>

Large repositories of 3D data are rapidly becoming available in several
fields, including mechanical CAD, molecular biology, and computer
graphics. As the number of 3D models grows, there is an increasing
need for computer algorithms to help people find ...

46 Intelligent agents for retrieving chinese Web financial news

Christopher C. Yang, Alan Chung
December 2000 **ICIS '00:** Proceedings of the twenty first international
            conference on Information systems
Publisher: Association for Information Systems

Full text available: <u>pdf(449.26 KB)</u> Additional Information: <u>full citation</u>, <u>references</u>, <u>cited</u>
<u>by</u>, <u>index terms</u>

47 A new cache replacement algorithm for the integration of web
caching and prefectching

Cheng-Yue Chang, Ming-Syan Chen
November 2002 **CIKM '02:** Proceedings of the eleventh international
conference on Information and knowledge management
Publisher: ACM

Additional Information: full citation, abstract,
Full text available: pdf(265.88 KB)   references, cited by, index
terms

Web caching and Web prefetching are two important techniques to
reduce the noticeable response time perceived by users. Note that by
integrating Web caching and Web prefetching, these two techniques can
complement each other since Web caching technique ...

Keywords: caching, prefetching, web proxy

48 Formalising Java RMI with explicit code mobility
Alexander Ahern, Nobuko Yoshida
October 2005 **OOPSLA '05: ACM SIGPLAN Notices,**   Volume 40 Issue 10
Publisher: ACM

Additional Information: full citation, abstract,
Full text available: pdf(293.03 KB)   references, index terms,
review

This paper presents a Java-like core language with primitives for object-
oriented distribution and explicit code mobility. We apply our formulation
to prove the correctness of several optimisations for distributed
programs. Our language captures crucial ...

Keywords: Java, RMI, code mobility, distribution, optimisation, runtime,
types

Results 41 - 48 of 48   Result page: << previous 1 2 **3**